

### **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Paul Levy on February 26, 2009.

The application has been amended as follows:

Claims 3, 21 and 22 have been canceled.

### ***Drawings***

2. The following changes to the drawings have been approved by the examiner: Figures 11, 12, 13, 14, 15A and 15 B should be labeled as prior art (see attached figures 11, 12, 13, 14, 15A and 15B). In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

### ***Conclusion***

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to HUYEN D. LE whose telephone number is (571) 272-7502. The examiner can normally be reached on 9:30AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, CURTIS KUNTZ can be reached on (571) 272-7499. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/HUYEN D. LE/  
Primary Examiner, Art Unit 2614

HL  
February 26, 2009